



Steel Legs


BEND MODULES - SERIE 10 Without Backrest




F10
Rounded Module
Ø55cm Diameter




F21
Straight module
110x64 cm




F22
Curved Symetric Module
45 cm Side



F23
Curved Symetric Module
64 cm Side




F24
Non Symetric Curved Module
Right




F25
Non Symetric Curved
Module Left


BEND MODULES - SERIE 10 With Backrest




F31
Straight module
110x64 cm
With Backrest




F32
Curved Symetric Module
45 cm Side
With Backrest




F33
Curved Symetric Module
64 cm Side
With Backrest



F34
Non Symetric Curved
Module Right
With Backrest




F35
Non Symetric Curved
Module Left
With Backrest




Steel Legs


BEND MODULES - SERIE 20 Without Backrest




F10
Rounded Module
Ø55 cm Diameter




F41
Straight module
110x64 cm




F42
Curved Symetric Module
45 cm Side



F43
Curved Symetric Module
64 cm Side




F44
Non Symetric Curved
Module Right




F45
Non Symetric Curved
Module Left


BEND MODULES - SERIE 20 With Backrest




F51
Straight module
110x64 cm
With Backrest




F52
Curved Symetric Module
45 cm Side
With Backrest



F53
Curved Symetric Module
64 cm Side
With Backrest




F54
Non Symetric Curved
Module Right
With Backrest




F55
Non Symetric Curved
Module Left
With Backrest


BEND ACCESSORIES AUXILIARY TABLES



--PD




FM55



FM15

CONFIGURATION EXAMPLES





FEATURES - SERIE 10

- **Modules.** Bend is available in a wide range of models:
 - 60cm deep unit. With or without backrest.
 - 45cm deep unit. With or without backrest.
 - 2 symmetrical units with 45cm deep on one side and 60cm deep on the other side. With or without backrest.
 - Straight unit. 60cm deep. With or without backrest.
 - Round unit. Ø55cm. With legs or castors.
- **Structure.** Each module has 4 legs made of folded steel painted in black. The curve module includes an additional 5th leg with leveler that increases stability. Using these legs modules rest 5cm above ground floor level.
- **Seat.** Inner wood frame covered with PU (polyurethane) flexible moulded foam density of **55-60 kg/m³**. Upholstered seat and backrest available in a wide range of fabrics. Sewing detail on the seat top provides singularity.
- **Accessories.** Bend can incorporate:
 - An attached auxiliary round Ø25cm table made of steel and compact laminate top round table.
 - Optional black 37mm diameter castors with Teflon tyre thread. These allow an easy movement of the seats.
 - * Connecting pieces between optional modules, which must be ordered by their own reference.
- **Low table.** Bend configuration can be complemented with a round Ø55cm (38 and 66 cm height) low table made from steel frame and compact laminate or MFC top.





FEATURES - SERIE 20

- **Modules.** Bend is available in a wide range of models:
 - 60cm deep unit. With or without backrest.
 - 45cm deep unit. With or without backrest.
 - 2 symmetrical units with 45cm deep on one side and 60cm deep on the other side. With or without backrest.
 - Straight unit. 60cm deep. With or without backrest.
 - Round unit. Ø55cm. With legs or castors.
- **Structure.** Each module has 4 legs made of folded steel painted in black. The curve module includes an additional 5th leg with leveler that increases stability. Using these legs modules rest 15cm above ground floor level.
- **Seat.** Inner wood frame covered with PU (polyurethane) flexible moulded foam density of **55-60 kg/m³**. Upholstered seat and backrest available in a wide range of fabrics. Sewing detail on the seat top provides singularity.
- **Accessories.** Bend can incorporate:
 - An attached auxiliary round Ø25cm table made of steel and compact laminate top round table.
 - * Connecting pieces between optional modules, which must be ordered by their own reference.
- **Low table.** Bend configuration can be complemented with a round Ø55cm (38 and 66 cm height) low table made from steel frame and compact laminate or MFC top.



■ FINISHES

Structure

Structure




Black

Surfaces

Fabric T



T85 T77 T37 T27 T70 T58 T61 T89 T87




T82 T64 T84

Fabric AE



AE82 AE84 AE92 AE37 AE21 AE44 AE62 AE69 AE16




AE14 AE08

Fabric AI



AI90 AI89 AI44 AI42 AI58 AI53 AI66 AI13 AI08



AI23 AI25

Fabric V



V15 V11 V20 V21 V12 V13 V18 V19 V17 V10

Fabric D




D11 D14 D21 D16 D13 D18 D15 D22 D12

Fabric A



A11 A27 A25 A17 A20 A13 A18 A16 A22

Fabric AO



AO90 AO34 AO59 AO62 AO16 AO08

Fabric U



U15 U21 U20 U22 U25 U23 U24 U19 U17



U14 U12


Fabric M



M16 M92 M12 M76 M62 M58 M46 M90 M91






M77 M93



M14 M22 M19 M17 M63 M10 M49 M20 M89







MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

BEND 10 **44,56%**
BEND 20 **34,12%**

RECYCLED
MATERIALS



PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

100%
RECYCLABLE
ALUMINIUM, STEEL
& WOOD



TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

100%
RECYCLABLE
PACKAGE AND THINNER
FREE



USE

Quality and warranty. Long lasting. Replacements available.

EASY
TO CLEAN
AND MAINTAIN



DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

BEND 10 **80,15%**
BEND 20 **59,85%**

RECYCLABLE
MATERIALS

CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



NORMS

BEND has passed tests done in our technical department as well as the tests done in AIDIMME the Technological Institute for furniture. The tests correspond to:

Standard	Description
UNE-EN 16139:2013vc2015	Furniture. Resistance, long lasting, security. Requirements for non domestic use seating.