

# LONGO NOMADA

— By Actiu —



## ■ SINGLE LONGO NOMADA



## ■ DESCRIPTION

Module made of metal structure with a 10x40x1.5 mm profile, joint brackets and legs of cast aluminum. Flexible polyurethane injection foam of 55-60kg/m<sup>3</sup>, interior frame of perimeter steel tube of  $\varnothing=16$  mm and a membrane of  $\varnothing=4$  mm, available in upholstery qualities "T" Lucia, "N" Napel, "M" Melange, "B" Blazer and "S" Steel Cut Trio


## ■ ESTRUCTURE

**Structure** made of steel tubes, covered in epoxy paint in black, silver or white finish.

**Joint brackets** of cast aluminum, covered in epoxy paint in black, silver or white finish

**Legs** of cast aluminum in a pandramid shape, with levelers and anti-slid soles, made from injected aluminum and covered in epoxy paint black, silver or white finish.

### SOFT SEATING



Detail of a joint bracket of cast aluminium.



Aluminum leveler with anti-slid sole.

### COFFEE TABLES




Detail of a joint bracket of cast aluminium.



Aluminum leveler with anti-slid sole.

## ■ DIMENSIONS



## ■ RANGE

### SINGLE STRUTURE



### CIRCULAR BASE - 58 cm



## ■ DOBLE LONGO NOMADA



## ■ DESCRIPTION


Module made of metal structure with a 10x40x1.5 mm profile, joint brackets and legs of cast aluminum. Flexible polyurethane injection foam of 55-60kg/m<sup>3</sup>, interior frame of perimeter steel tube of  $\varnothing = 16$  mm and a membrane of  $\varnothing = 4$  mm, available in upholstery qualities "M" Melange, "B" Blazer and "N" Napel.

## ■ ESTRUCTURE

**Structure** made of steel tubes, covered in epoxy paint in black, silver or white finish.

**Joint brackets** of cast aluminum, covered in epoxy paint in black, silver or white finish

**Legs** of cast aluminum in a pandramid shape, with levelers and anti-slid soles, made from injected aluminum and covered in epoxy paint black, silver or white finish.




Detail of a joint bracket of cast aluminium.




Aluminum leveler with anti-slid sole.

## ■ DIMENSIONS


LG21



LG22




LG23




Reversible

LG24



LG25



## ■ RANGE

### DOUBLE STRUCTURE



Cushion module



Low back module



Module with arms




Corner module




2 armchair module

■ LONGO NOMADA CONFIGURATIONS - INDIVIDUAL SEATS



■ LONGO NOMADA CONFIGURATIONS - DOUBLE SEATS




■ FINISHES

STRUCTURE



UPHOLSTERY


GROUP "M" - MELANGE



GROUP "B" - BLAZER




GROUP T



GROUP "N" - NAPEL



FABRIC GROUP "S" - STEELCUT TRIO





## MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

**71,74%**  
RECYCLED  
MATERIALS



## PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

**100%**  
RECYCLABLE  
ALUMINIUM, STEEL  
& WOOD



## TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

**100%**  
RECYCLABLE  
PACKAGE AND THINNER  
FREE



## USE

Quality and warranty. Long lasting. Replacements available.

**EASY**  
TO CLEAN  
AND MAINTAIN



## DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

**87,97%**  
RECYCLABLE  
MATERIALS

## CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of  
responsible forestry



PEFC Certificate



EN ISO 14004:2011  
ECODESIGN Certificate



UNE-EN ISO 9001:2008  
ISO 9001 Certificate



UNE-EN ISO 14001:2004  
ISO 14001 Certificate



E1 Certificate  
by EN 13986



ACTIU TECHNOLOGY PARK  
LEED® PLATINUM certified by USGBC  
Leadership in Energy & Environmental Design  
LEED® Gold certified 2011 • LEED® Platinum certified 2017