









DESCRIPTION

Frame:

Polypropylene (P.P) frame with 30% fibre glass. Wide range of colours. Technology with **gas** assisted injection, which generates volumes and sections for a plus in design.

- UV resistant for outdoor use treatment.
- Antistatic treatment to facilitate cleaning.
- Stacking caps included.

Seat:

- Seat, moulded Polypropylene (P.P).
- Optional: (TPU) (PUR) Poliurethane. Versatile material with compact surface and soft inner.
 Wipe clean with damp cloth or shampoo. Wide range of colours
- Optional: Upholstered over foam [40-45kg/m³],
 Fabric M. Wide range of colours.


Ribbed inserts:

- Standard: non-slip rubber.
- Optional placement: felt silent pad-anti scratch included in each pack of 4 chairs - 16 units (It is advisable not to use with carpet and / or exterior.)

Stacking maximum 6 units.



Stacking maximum 6 units.



Set of linking devices





- 1 Polypropylene (P.P) frame with 30% fibre glass. Technology with gas assisted injection
- 2 Optional Padded Seat in 2 options:
 - (TPU) (PUR) Poliurethane
 - Upholstered Fabric M
- (3) Stacking caps included
- 4 Ribbed inserts: non-slip rubber.
- 5 Optional placemenrt: felt silent pad-anti scratch.

SIZES

Total height: from 780 mm Total width: from 570 mm Total depth: from 520 mm Seat height: from 470 mm Seat width: from 430 mm Seat depth: from 375 mm

SIZES







SEAT



POLYPROPYLENE

Polypropylene (P.P) frame with 30% fibre glass. UV resistant for outdoor use and antistatic treatment to facilitate cleaning.

* Black finish has a special adherent tint for outdoor use. It is got with priming coat and lacquering processes that guarantee the highest visual quality and surface resistance.





POLYURETHANE

(TPU) - (PUR) Poliurethane. Versatile material with compact surface and soft inner. It is comfortable and solid, pleasant and resistance. Wipe clean with damp cloth or shampoo.



only avalible with white structure



UPHOLSTERED - FABRIC M

Fabric Group M - Melange. High performance upholstery in 100% Trevira CS, fire resistant (Class 1 - M1 and B1).



- www.actiu.com - 03



MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

99,36%
RECYCLED
MATERIALS



PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

100% RECYCLABLE ALUMINIUM, STEEL & WOOD



TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

100% RECYCLABLE PACKAGE AND THINNER FREE



USE

Quality and warranty. Long lasting. Replacements available.

EASY
TO CLEAN
AND MAINTAIN



DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

29,67% RECYCLABLE MATERIALS

■ CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of responsable forestry



PEFC Certificate



EN ISO 14006:2011
ECODESIGN Certificate



UNE-EN ISO 9001:2008 ISO 9001 Certificate



UNE-EN ISO 14001:2004 ISO 14001 Certificate



E1 Certificate by EN 13986



PARQUE TECNOLÓGICO ACTIU proyecto certificado LEED® GOLD por el U.S. Green Building Council en 2011 Leadership in Energy & Environmental Design

STANDARDS

WING has passed tests done in our technical department as well as the tests done in **AIDIMA** the Technological Institute for furniture. The tests correspond to:

Confident office chair. Standard applied

- UNE-EN 16139:13. Furniture. Resistance, long lasting, security. Requirements for non domestic use seating.
- UNE EN 581-2:09. Outdoor furniture Seating and tables for camping, domestic and contract use. Part 2: Mechanical safety requirements and test methods for seating.
- Test climatic aging.