PLEK

—By Alegre Design—

FOLDING TABLES WITH FRAME



FIXED TABLES WITH FRAME

FIXED TABLES WITHOUT FRAME (GLASS)



SAMPLE LAYOUTS - PLEK



Folding tables with frame





DESCRIPTION

1. Steel frame 40x15 mm and 2 mm thick
2. 19 mm board with anti-shock soft edge
3. Rectangular edge 2 mm thick and anti-shock soft edge 3 mm thick
4. Extruded aluminium runner with polypropylene (PP.) bracket
5. Moulded aluminium legs 21mm
6. Black polypropylene (P.P) caps

FRAME

Finishes: black, white, silver and polished

Marco de acero de 40x15 mm con 2 mm de grosor

SIZES



TROLLEY FOR STACKING

TOP FINISHES

MFC (19 mm)

White Maple Elm

(see finishes and fabric card)

FOLDING SYSTEM

Folding system has an articulated movement with the support of a sliding beam. Mechanism of Enclose and Blocked, is patented by **ACTIU**.

NOTE: Following images show PLEK desks without frame. Desks with frame(for intensive use) have the same folding mechanism.



Folded leg details



Sliding movement detail

Detail of mechanism of Enclose and Blocked, patented by **ACTIU**

Fixed tables without frame



DESCRIPTION

1. Supports
2. Top: glass finish
3. Black polypropylene (P.P) caps
4. Moulded aluminium legs 21mm
5. Extruded aluminium beam

LEGS



Finishes: black, white, silver and polished

SUPPORTS FIXED TO DESKS



fixed system detail

SIZES



TOP FINISHES

Glass (5+5 mm)

Clear White Blue

(see finishes and fabric card)

Fixed tables with frame

DESCRIPTION

1. Supports
2. Extruded aluminium beam
3. Top: MFC
4. Black polypropylene (P.P) caps
5. Moulded aluminium legs 21mm

LEGS



Finishes: black, white, silver and polished

STRUCTURE

Steel Frame 40x15 mm with 2 mm width

SIZES



FINISHES COMBINATIONS

LEGS	TOP FINISH	STEEL FRAME	MECHANISMS AND GUIDE
WHITE	White MFC	White	Silver
	Maple / Elm MFC	White	Silver
ALUMINIUM POLISHED	White MFC	White	Silver
	Maple / Elm MFC	Silver	Silver
SILVER	White MFC	White	Silver
	Maple / Elm MFC	Silver	Silver
BLACK	White MFC	White	Silver
	Maple / Elm MFC	Silver	Silver

TOP FINISHES

MFC (19 mm)

White Maple Elm

(see finishes and fabric card)

MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

84,44%
RECYCLED MATERIALS

PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

100%
RECYCLABLE
ALUMINIUM, STEEL & WOOD

TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

100%
RECYCLABLE
PACKAGE AND THINNER FREE

USE

Quality and warranty. Long lasting. Replacements available.

EASY
TO CLEAN AND MAINTAIN

DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

94,95%
RECYCLABLE MATERIALS

CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).

FSC www.fsc.org FSC® C106678
The mark of responsable forestry

PEFC
PEFC/04-31-0782
PEFC Certificate

AENOR Ecodiseño ED-0011/2010
EN ISO 14006:2011
ECODESIGN Certificate

AENOR ER Empresa Registrada ER-0597/2001 — CERTIFIED IQNet QUALITY SYSTEM
UNE-EN ISO 9001:2008
ISO 9001 Certificate

AENOR Gestión Ambiental GA-2003/0202 — CERTIFIED IQNet MANAGEMENT SYSTEM
UNE-EN ISO 14001:2004
ISO 14001 Certificate

E1 EN 13986 — ACTIU PRODUCE Y UTILIZA TABLEROS CLASE E1 STANDARD - NORMA EUROPEA
E1 Certificate by EN 13986

U.S. GREEN BUILDING COUNCIL LEED GOLD USGBC
PARQUE TECNOLÓGICO ACTIU
proyecto certificado LEED® GOLD por el U.S. Green Building Council en 2011
Leadership in Energy & Environmental Design