


PRISMA


— By Sylvain Carlet & —
Isern Serra




STRAIGHT DESKS - 80cm WIDTH




DESKS WITH CREDENZA SUPPORT




AUXILIARY DESKS AND RETURNS




STRAIGHT DESKS - 100cm WIDTH




STRAIGHT DESKS - 120cm WIDTH




ERGONOMIC DESKS - 160 cm




DOUBLE DESKS AND MIDDLE EXTENSIONS - 160cm WIDTH




MEETING DESKS - 100 cm HEIGHT




PRISMA STORAGES




CUBIC STORAGES




Use with individual operative desks




Use with management desks



Use with meeting desks



Use with twin, four workstations and middle extension desks





- ① Table surface made out of Melamine with a 50mm ABS plastic edge.
- ② 50x50cm metal legs with an easy-joining system. Metal internal structure made out of 30x30mm steel piping.
- ③ Leveler has an anti-skid pad made of ABS.
- ④ Height adjustable cable channel in twin desks. Holded it underneath worktop.
- ⑤ Upholstered desk-mounted screens with sound-proofing materials fixed to the table work-top. Available in "T", "M" and "F" fabric ranges.
- ⑥ Recessed leg, covered by metal cable riser.
- ⑦ "T"-type Push Latch cable access.

■ COMBINATION OF FINISHES






■ TOP

Table tops manufactured from 19 mm chipboard and the lower structure from steel. Desk thickness 50 mm manufactured with a 19 mm perimeter mould with a rounded edge made of ABS 2 mm thick, highly durable and recyclable.


Structure of leg **section 50 x 50 mm** manufactured from a hot rolled steel profile and 1,5 mm thick edging, finished with epoxy paint in **white, black, aluminized RAL 9006, imitation wood and chrome.**

Structure of surface from section 30 x 30 mm manufactured from a hot rolled steel profile and 2 mm thick edging, finished in **black and white.**




■ RECESSED LEGS

Straight desks width of 160 and 120 cm with progression and recessed central legs placed at the edge of the desk to carry out operative configurations, including four or more work positions or meeting tables, facilitating mobility. Recessed legs 40 cm on desks of 160 cm and 21 cm on desks of 120 cm




FOUR DESKS WORKSTATION (320 x 120)



- Exterior legs without recess
- Intermediate legs with recess

FOUR DESKS WORKSTATION (320 x 160)



- Exterior legs without recess
- Intermediate legs with recess

■ SUPPORTS

The legs provide with:

- A leveller injected with ABS and with anti slip soles.

Levellers
Total height: 74 cm.



Lime Oak Structure



White Structure



Black Structure



Chesnut Structure



Dark Oak Structure



Chromed Structure

■ **DESK RETURNS**



- MFC credenza unit available in different finishes.
- Soft closing system sliding doors with an extruded aluminium profile.
- Unit available in two sizes: 160 cm and 240cm length, 45 cm width and 69 cm height.
- Height adjustable shelf.
- Integrated cable management.
- Metal legs with injected ABS plastic and an anti-skid pad.

■ **DESK RETURNS**



Prisma has its own return system to create more functional spaces. The returns are fixed to the desk to give strength and provide an operative solution.

Return supported on a desk-height pedestal. It is available in two options: two drawers and one file drawer or 4 drawers. It includes lock.

■ **STRUCTURAL DIVIDERS**

Prisma has its own screen System which is fixed to the desk worktop, providing great stability and an aesthetic appearance. Totally upholstered, with an aluminium profile or 3rd level tool rail, sound proof, glass, polystyrene or methacrylate, the new screens offer a number of possibilities.



■ **ELECTRIFICATION CHANNELS**

An integrated electrification system that allows effective management of wiring and facilitates the installation. It has a large metal tray, underneath the worktop, accessible throughout an aluminium flip up access.



Steel metal channel 0,8 mm to 1 mm thick, lower than the large capacity for double desks. Two models:

- Fixed height
- Height adjustment (three positions)

Steel metal channel 0,7 mm to 1 mm thick for individual desk.

Flip-up cable access "M"

Flip-up cable access "T"

■ **OPTIONAL ACCESSORIES**

Prisma accessories are fixed underneath the worktop. Prisma comes with modesty panels, CPU holders, screens...



CPU holder of 25-30 x 49 cm and 1,5 mm thick



Modesty panel



MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

HIGH%
RECYCLED
MATERIALS



PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

100%
RECYCLABLE
ALUMINIUM, STEEL
& WOOD



TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

100%
RECYCLABLE
PACKAGE AND THINNER
FREE



USE

Quality and warranty. Long lasting. Replacements available.

EASY
TO CLEAN
AND MAINTAIN



DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

HIGH%
RECYCLABLE
MATERIALS

■ **CERTIFICATES AND REFERENCES**

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



■ **STANDARDS**

PRISMA has passed tests done in our technical department as well as the tests done in **AIDIMA** the Technological Institute for furniture. The tests correspond to UNE standards and office desks:

- **UNE: EN 527-1:2011.** Office Furniture. Desks. **Part 1:** Dimensions.
- **UNE: EN 527-2:2003.** Office Furniture. Desks. **Part 2:** Mechanical security requirements.
- **UNE: EN 527-3:2003.** Office Furniture. Desks. **Part 3:** Test to determine stability and structure resistance.
- **UNE: EN 15372:08.** Office Furniture. Strength, durability and safety. Requirements for domestic use desks. Office Furniture. Desks. **Part 2:** Strength, durability and safety.
- **UNE: EN 1730:13.** Furniture. Tables. Test methods for the determination of stability, strength and durability.
- **UNE: EN14073-2:05.** Office furniture. Tables and desks and storage furniture. Safety requirements.
- **UNE: EN 14073-3:05.** Office furniture. Tables and desks and storage furniture. Test methods for the determination of stability and strength of the structure.
- **UNE: EN 14074:05.** Office furniture. Tables and desks and storage furniture. Test methods for the determination of strength and durability of moving parts.

TABLE OF FINISHES

Below is a table for a quick orientation of the different finishes and colours that are offered in this program, along with a brief description of the technical characteristics of each finish:

How to request a product:

To place an order for a product, the reference will be complemented with a surface finish code, replacing the two hypens with the desired finish. The available finishes are reflected in the price list.

Ex: PM14100-- 160x80 cm Prisma Desk - White Structure - White surface --> PM1410000

LEGS	EDGE	SURFACE			
		WHITE	LIME OAK	CHESNUT	DARK OAK
WHITE	WHITE	00			
BLACK	WHITE	00			
LIME OAK	LIME OAK	00	11		
DARK OAK	DARK OAK				14
CHESNUT	CHESNUT			07	
CHROMED	DARK OAK				14

■ Melamine

Coated melamine of 90 and 120 grs/m, on a table top of elaborated particles, PEFC certified 19 mm thick. With high durability and 100 % recyclable.



Surface: WHITE
Leg: WHITE
Fixed cap: WHITE
Leveller: BLACK



Surface: WHITE
Leg: BLACK
Fixed cap: BLACK
Leveller: BLACK



Surface: WHITE
Leg: LIME OAK
Fixed cap: LIME OAK
Leveller: BLACK



Surface: LIME OAK
Leg: LIME OAK
Fixed cap: LIME OAK
Leveller: BLACK



Surface: CHESNUT
Leg: CHESNUT
Fixed cap: BLACK
Leveller: BLACK



Surface: DARK OAK
Leg: DARK OAK
Fixed cap: BLACK
Leveller: BLACK



Surface: DARK OAK
Leg: CHROME
Fixed cap: BLACK
Leveller: BLACK

TABLE OF FINISHES

Below is a table for a quick orientation of the different finishes and colours that are offered in this program:

■ DESKS

SURFACE + DESK EDGE		WHITE			LIME OAK	CHESNUT	DARK OAK	
STRUCTURE		WHITE	BLACK	LIME OAK	LIME OAK	CHESNUT	DARK OAK	CHROMED
STRAIGHT DESKS	Straight with Castors: 70x70 cm							
	Straight: 160x80 cm							
	Straight: 180x80 cm							
	Straight: 200x100 cm							
	Straight: 220x100 cm							
	Straight: 160x80 cm							
	Straight: 120x120 cm							
	Straight: 320x120 cm							
	With double credenza support: 210x80 cm							
	With isingle credenza support: 210x80 cm							
TWIN DESKS AND MIDDLE EXTENSIONS	Twin - 140x160 cm							
	Four workstations - 280x160 cm							
	Twin middle extension - 140x160 cm							
	Twin - 160x160 cm							
	Four workstations - 320x160 cm							
	Twin middle extension - 160x160 cm							
AUXILIARY DESK AND RETURNS	Auxiliary Return - 96x60 cm							
	Auxiliary return with pedestal support - 96x60 cm							
	Auxiliary desk - 120x60 cm							

■ AUXILIARY CREDENZAS

FINISHES		WHITE	LIME OAK	CHESNUT	DARK OAK
AUXILIARY CREDENZAS	Double credenza: H70 x L240 x P50 cm				
	Single Credenza: H70 x L161 x P50 cm				
	Doors for Auxiliary credenzas				
	Single credenza: H61 x L140 x P50 cm				