

# D150 SCREENS

— By Actiu —



The prices indicated in this price list are indicative due to the fluctuation that the market currently has with respect to the materials used.

Before confirming the order, please check with the **sales department** to see if they are valid.

## D150

The D150 office divider allows you to **reconfigure a space in a matter of seconds**, creating streamlined areas that adapt to the needs of each task.

The D150 office divider can **adapt to contract and hospitality settings** that require private and separate areas within an open space.



### ACTIU








[www.actiu.com](http://www.actiu.com)

*Design goes beyond aesthetics: innovation, space and furniture go hand in hand to create environments that are friendlier, more comfortable and more motivating for people: environments that are more dynamic, fresh, creative, ergonomic and functional.*

*A business philosophy in which design is part of our DNA, as we apply it to every facet of the company: products, architecture, projects, brand, communication, work spaces ...*

## Lightweight structural panel - D150



Model	Lightweight structural panel - D150			
Technical Features	<ul style="list-style-type: none"> <li>• Extruded aluminium profiles silver finish</li> <li>• Alloy cast moulded angles</li> <li>• Polyamide covers and clips</li> <li>• Panel different finishes:               <ul style="list-style-type: none"> <li>· MFC Boards - 10 mm thickness.</li> <li>· Frosted Polycarbonate - 10 mm thickness.</li> <li>· Clear methacrylate - 5 mm thickness.</li> <li>· MFC Board upholstered with fabric group T - 22mm thickness</li> </ul> </li> </ul>			
Link System	<p><b>E-link system</b> developed by Actiu is useful to install any configuration with 1 polyamide single clip easily and quickly. The system accepts different clips to do configurations with two or more panels.</p> <p><b>E-link system</b></p> 			
Supports	 <p><b>Levellers</b> (each module includes 2 levellers as standard)</p>	 <p><b>Flat foot (optional)</b> For aisles where people passing through</p>	 <p><b>Double foot with levellers (optional)</b> Ideal for configurations to divide areas</p>	 <p><b>Double foot with castors (optional)</b> Mobile foot ideal for configurations to divide areas</p>
	<p><b>Height 152 cm</b></p> <p><b>Total dimensions:</b> Height: 1520 mm Width: 820 / 1020 / 1220 mm</p> 		<p><b>Height 182 cm</b></p> <p><b>Total dimensions:</b> Height: 1820 mm Width: 820 / 1020 / 1220 mm</p> 	
Dimensions				

PROFILE



PANEL



Map of Uses



D150 Screens




Table h: 74 cm

## Weight and Volume // Ecodesign

### Protective panels - D150

MODEL	Units/ Pack	Weight	Volume	Materials Recycled materials	Production Aluminium, steel and wood	Transport Package and thinner free	Use To clean and maintain	Disposal Recyclable materials
	1	Polycarbonate / Upholstered 8 Methacrylate 14 MFC 14,5	0,059	High	100%	100%	Easy	High
	1	Polycarbonate / Upholstered 9 Methacrylate 15,5 MFC 17,5	0,077	High	100%	100%	Easy	High
	1	Upholstered 10,5 MFC 20	0,094	High	100%	100%	Easy	High
	1	Polycarbonate / Upholstered 9 Methacrylate 15,5 MFC 17	0,090	High	100%	100%	Easy	High
	1	Polycarbonate / Upholstered 10,5 Methacrylate 18 MFC 20	0,110	High	100%	100%	Easy	High
	1	Upholstered 12 MFC 23,5	0,131	High	100%	100%	Easy	High
	1	10,5	0,059	High	100%	100%	Easy	High
	1	10,5	0,059	High	100%	100%	Easy	High
	1	15	0,090	High	100%	100%	Easy	High

**Materials:** Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

**Production:** Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

**Transport:** Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

**Use:** Quality and warranty. Long lasting. Replacements available.

**Disposal:** Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

Standards

D150 has passed tests done in our technical department as well as the tests done in AIDIMA the Technological Institute for furniture. The tests correspond to:

Standard	Description
UNE: EN 1023-1:96	Office furniture. Screens. Part 1: Dimensions.
UNE: EN 1023-2:96	Office furniture. Screens. Part 2: Mechanical safety requirements
UNE: EN 1023-3:96	Office furniture. Screens. Part 3: Test methods

Certificates

The different programmes get points in different environmental categories to get the LEED certificate or WELL certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



EN ISO 14006:2011  
ECODESIGN  
Certificate



UNE-EN ISO 9001:2008  
ISO 9001  
Certificate



UNE-EN ISO 14001:2004  
ISO 14001  
Certificate



ACTIU TECHNOLOGY PARK  
LEED® PLATINUM  
certified by USGBC  
Leadership in Energy &  
Environmental Design



Health & Wellbeing of  
people through The space