


TRAMA 30


— By Alegre Design —



RECTANGULAR DESKS 80 cm WIDTH







RECTANGULAR DESKS 67 cm WIDTH




D-END TABLE



EXAMPLE LAYOUTS





■ FLIP-TOP



■ FRAME



- ① **Desktop:** 25 mm MFC top. Anti-shock soft edge 3 mm width, or standard 2 mm width
- ② **Arms:** Moulded aluminium arms available in silver and white.
- ③ **Beam:** Extruded aluminium profile, curved triangular shape 1,5 mm thick, polypropylene (P.P) cap. Epoxy cover. Available in silver or white.
- ④ **Linking devices:** Moulded aluminium with epoxy cover. Available in silver or White. Black polypropylene (P.P) trim
- ⑤ **Leg:** 60 mm diameter tube, 2mm thick steel. Available in silver, white and chrome.
- ⑥ **Feet:** Moulded aluminium foot available in silver, white and polished. Two different sizes:
 - 72 cm for desks 80 cm and 100 cm width.
 - 55 cm for desks 67 cm width.
- ⑦ **Castors:** Black anti-skid castors 65 mm diameter. Two lockable castors and two free castors

■ FRAME FINISHES



Silver frame

- Arm: Silver
- Beam: Silver
- Linking device: Silver
- Trim: Black
- Leg: Silver
- Foot: Silver
- Castor: 65 mm. Black



White frame

- Arm: White
- Beam: White
- Linking device: White
- Trim: Black
- Leg: White
- Foot: White
- Castor: 65 mm. Black



Chrome frame

- Arm: Silver
- Beam: Silver
- Linking device: Polished
- Trim: Black
- Leg: Chrome
- Foot: Polished
- Castor: 65 mm. Black

■ DESK TOP FINISHES

Melamine (25 mm)



(See finishes cards)

■ LINKING DEVICE SYSTEM



Quick desk linking device. Desks are ready to be linked side to side. Linking device 4 mm thick



MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

67,06%
RECYCLABLE
MATERIALS



PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

100%
RECYCLABLE
ALUMINIUM, STEEL
& WOOD



TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

100%
RECYCLABLE
PACKAGE AND THINNER
FREE



USE

Quality and warranty. Long lasting. Replacements available.

EASY
TO CLEAN
AND MAINTAIN



DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

92,92%
RECYCLABLE
MATERIALS

■ **CERTIFICATES AND REFERENCES**

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



■ **STANDARDS**

TRAMA has passed tests done in our technical department as well as the tests done in AIDIMA the Technological Institute for furniture. The tests correspond to UNE standards and office desks:

- **UNE: EN 527-1:2011.** Office Furniture. Desks. **Part 1:** Dimensions.
- **UNE: EN 527-2:2003.** Office Furniture. Desks. **Part 2:** Mechanical security requirements.
- **UNE: EN 527-3:2003.** Office Furniture. Desks. **Part 3:** Test to determine stability and structure resistance.
- **UNE: EN 15372:08.** Office Furniture. Strength, durability and safety. Requirements for domestic use desks. Office Furniture. Desks. **Part 2:** Strength, durability and safety.
- **UNE: EN 1730:13.** Furniture. Tables. Test methods for the determination of stability, strength and durability.
- **UNE: EN14073-2:05.** Office furniture. Tables and desks and storage furniture. Safety requirements.
- **UNE: EN 14073-3:05.** Office furniture. Tables and desks and storage furniture. Test methods for the determination of stability and strength of the structure.
- **UNE: EN 14074:05.** Office furniture. Tables and desks and storage furniture. Test methods for the determination of strength and durability of moving parts.